

---

**From:** White, Julia W [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D92F33E7D43E44A9B15D6EC92E2348CB-JWBUCKNER]  
**Sent:** 1/24/2018 6:05:04 PM  
**To:** Heyl, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=648eceacc8174ef68495e6b92d969f97-dheyhl]  
**CC:** Weiner, Sadie [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=df98bd64929043eeaab54e589dd7d1b2-asweiner]; Talley, Noelle S [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=cd9f3882421746bcb5a60cbe82cdf89-nstalley]; Munger, Bridget [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=c54e1f650cea49968a5aba689c204f61-bcmunger]  
**Subject:** Re: Draft ACP release

Looks good on first read. Will share any additional thoughts later on.

On Jan 24, 2018, at 5:59 PM, Heyl, Douglas <[Douglas.Heyl@ncdenr.gov](mailto:Douglas.Heyl@ncdenr.gov)> wrote:

Here is a draft and just know erosion and sediment might have to be pulled out if they are not ready.

Doug Heyl  
North Carolina Department of Environmental Quality  
919.707.9034 (Office)  
919.812.3415 (Mobile)  
[douglas.hey@ncdenr.gov](mailto:douglas.hey@ncdenr.gov)

<image001.png>

*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

<ACP permits release DRAFT 012418.docx>